Every Patient/Every Visit

Screening that can be done at every patient visit



Which Screenings Should Be Done Every Time

- 1. Depression Screening (12-17 years old, 18+ years old)
- 2. Alcohol Screening
- 3. Tobacco Screening
- 4. IPV/DV Screening




Depression Screening Measure Logic

- User Population patients ages 12 through 17 years
- User Population patients ages 18 years and older
- Patients screened for depression or diagnosed with a mood disorder at any time during the report period




Nashville Area Performance

Depression Screening for ages 12-17



Depression Screening for ages 18 and older



Alcohol Screening Measure Logic

- User Population patients ages 9 through 75
- Patients screened for alcohol use or who had an alcohol-related diagnosis or procedure during the report period.
- CAGE, AUDT, AUDC, CRFT



Nashville Area Performance

Alcohol Screening

for ages 9-75



Tobacco Screening Measure Logic


- User Population patients ages 5 years and older
- Patients screened for tobacco use during the report period
- Patients identified during the report period as current tobacco users
 - Current smokers
 - Current smokeless tobacco users
 - Current ENDS users



Nashville Area Performance

Tobacco Screening

for ages 5 and older



IPV/DV Screening Measure Logic

- Female User Population patients ages 14 through 46 years
- Patients screened for intimate partner (domestic) violence (IPV/DV) at any time
 - Patients with a documented IPV/DV exam
 - Patients with IPV/DV-related diagnosis
 - Patients provided with education or counseling about IPV/DV
- This is a GPRAMA measure that is reported to congress



Nashville Area Performance IPV/DV Screening

for females ages 14-46

